

# KAM




## ***ECLIPSE*** SUNSHADE ROLLING CURTAIN





银  
SILVER



蓝  
BLUE



金  
GOLD

多层聚酯薄膜层压，适用于所有船舶驾驶舱。

真实色彩还原，精准识别导航标记，用于导航标记识别的真实色彩再现。

消除电子海图 / 雷达屏眩光反射

阻隔 87% 太阳辐射热，降低舱温

改善工作环境：低眩光 + 低温升操作空间

可持续性：节能降耗，符合海事环保趋势

Multilayer polyester film laminated, suitable for all ship cockpits.

Real color reproduction, accurate recognition of navigation marks,  
for the real color reproduction of navigation mark recognition.

Eliminate glare reflections on ECDIS/radar screen.

Blocks 87% of solar radiation heat, lowering cabin temperature.

Improved working environment: low glare + low temperature rise operating space

Sustainability: Energy conservation and consumption reduction,  
in line with maritime environmental protection trends.

Security  
Protection

Energy-saving  
Benefits

## Shade film Silver/Grey10R

Item.No.EC001

Visible Light Transmission% 可见光传输率	7.20%
Glare Reduction% 可减少眩光率	87.00%
Total Energy Rejection% 总太阳能遮断率	83.0%
UV Transmission% 紫外线透射率	1.0%
Film width / 膜宽	1.52m



Normal

Inside

Outside

## Visual perception:

- interior / 内 : Grey/ 灰
- exterior / 外 : Silver/ 银

Shade film Bronze/Bronze 10R

Item.No.EC002

Visible Light Transmission% 可见光传输率	11.0%
Glare Reduction% 可减少眩光率	80.0%
Total Energy Rejection% 总太阳能遮断率	72.0%
UV Transmission% 紫外线透射率	1.4%
Film width / 膜宽	1.52m



Normal

Inside

Outside

Visual perception:


- interior / 内 : Bronze/ 铜
- exterior / 外 : Bronze/ 铜



## Shade film Gold/Grey 2R

## Item.No.EC003

Visible Light Transmission% 可见光传输率	8.0%
Glare Reduction% 可减少眩光率	88.0%
Total Energy Rejection% 总太阳能遮断率	77.8%
UV Transmission% 紫外线透射率	1.0%
Film width / 膜宽	1.52m



Normal

Inside

Outside

## Visual perception:

- interior / 内 : Grey/ 灰
- exterior / 外 : Gold/ 金

## Shade film Grey/Grey 10R

## Item.No.EC004

Visible Light Transmission% 可见光传输率	9.2%
Glare Reduction% 可减少眩光率	88.6%
Total Energy Rejection% 总太阳能遮断率	72.6%
UV Transmission% 紫外线透射率	2.1%
Film width / 膜宽	1.52m/2.2m



Normal

Inside

Outside

## Visual perception:

- interior / 内 : Grey/ 灰
- exterior / 外 : Grey/ 灰

## Shade film Blue/Blue 2R

## Item.No.EC005

Visible Light Transmission% 可见光传输率	9.0%
Glare Reduction% 可减少眩光率	86.0%
Total Energy Rejection% 总太阳能遮断率	78.0%
UV Transmission% 紫外线透射率	2.0%
Film width / 膜宽	1.52m/2.2m



Normal

Inside

Outside

## Visual perception:

- interior / 内 : Dark-Blue/ 藏蓝
- exterior / 外 : Dark-Blue/ 藏蓝

**CUSTOM-MADE IS AVAILABLE**

**SHIP COCKPIT SUNSHADE ROLLING CURTAIN**

